

**WIMBLEDON HILL
PUBLIC SPACE IMPROVEMENTS**

PLANTING PROPOSALS - PLANT LIST

SPRING 2022





WIMBLEDON HILL ROAD - PLANTS

GRASSES



Anemanthele lessoniana (Pheasant's tail grass)

Group: Grasses

Quantity: 1

Pot size: None

A. lessoniana is a clump-forming, semi-evergreen to evergreen grass, with arching, mid-green leaves, flushed red or orange in autumn, and airy, arching panicles of reddish-brown flower spikelets in late summer.

↑ 1m
max. height

↔ 1.2m
max. spread

🕒 2-5 years
to maturity



Briza media (Quaking grass)

Group: Grasses

Quantity: 1

Pot size: None

B. media is a semi-evergreen, perennial grass growing clumps of flat, linear leaves, with flat, heart-shaped, golden seed heads which dangle from erect, slender branches.

↑ 0.3m
max. height

↔ 0.8m
max. spread

🕒 1-2 years
to maturity



Calamagrostis brachytrich (Korean feather reed grass)

Group: Grasses

Quantity: 1

Pot size: None

C. brachytrich is a grass with flat, arching variegated leaves, and light pink cream panicles that fade to pale-brown.

↑ 1.5m
max. height

↔ 1m
max. spread

⌚ 2-5 years
to maturity



Carex 'Ice Dance' (Japanese sedge 'Ice Dance')

Group: Grasses

Quantity: 1

Pot size: None

'Ice Dance' is a mound-forming, evergreen perennial bearing long, linear, stiff, dark green leaves with creamy-white margins and insignificant, pale brown flowers in late spring.

↑ 0.6m
max. height

↔ 0.75m
max. spread

⌚ 2-5 years
to maturity



Carex elata 'Aurea' (Bowles' golden sedge)

Group: Grasses

Quantity: 1

Pot size: None

'Aurea' is a semi-evergreen, clump-forming perennial with linear, arching, yellow leaves narrowly edged with green. Brown male flower spikes are borne above green female spikes in late spring and early summer.

↑ 0.7m
max. height

↔ 0.5m
max. spread

⌚ 2-5 years
to maturity



Carex oshimensis 'Evergold' (Sedge 'Evergold')

Group: Grasses

Quantity: 1

Pot size: None

'Evergold' is a clump-forming, evergreen, grass-like sedge bearing long, arching, linear, mid-green leaves, each with a central, pale yellow stripe. Inconspicuous, brown flower spikelets bloom in summer.

↑ 0.3m
max. height

↔ 0.4m
max. spread

⌚ 2-5 years
to maturity



Carex pensylvanica (Pennsylvania sedge)

Group: Grasses

Quantity: 1

Pot size: None

C. pensylvanica is a clump-forming, semi-evergreen perennial with arching, linear, mid-green leaves and slender, dark purple flower spikelets in late spring.

↑ 0.25m
max. height

↔ 0.45m
max. spread

⌚ 2-5 years
to maturity



Deschampsia cespitosa (Tufted hair grass)

Group: Grasses

Quantity: 1

Pot size: None

D. cespitosa is a dense, tussock-forming, evergreen grass with rigid, leathery, linear, mid- to dark green leaves and airy, arching panicles of silver-flushed, purple flower spikelets in summer.

↑ 1.5m
max. height

↔ 1m
max. spread

⌚ 2-5 years
to maturity



Eragrostis spectabilis (Purple love grass)

Group: Grasses

Quantity: 1

Pot size: None

E. spectabilis is a compact, dense, clump-forming, deciduous, perennial grass with flat, linear, mid- to dark green leaves and, in summer, airy panicles of reddish-purple flowers faded to brown in autumn.

↑ 0.6m
max. height

↔ 0.6m
max. spread

🕒 2-5 years
to maturity



Miscanthus sinensis 'Gracillimus' (Eulalia 'Gracillimus')

Group: Grasses

Quantity: 1

Pot size: None

'Gracillimus' is a deciduous grass with narrow, arching leaves ribbed white, and silky, feathery, purple-flushed, flower panicles in late summer.

↑ 1.5m
max. height

↔ 1m
max. spread

🕒 2-5 years
to maturity



Miscanthus sinensis 'Morning Light' (Eulalia 'Morning Light')

Group: Grasses

Quantity: 1

Pot size: None

'Morning Light' vigorous, clump-forming, deciduous, perennial grass bearing upright to arching, broadly linear, mid-green leaves with narrow, creamy-white margins, and feathery panicles of pink-flushed, silvery-grey flower spikelets held well above the foliage in late summer and early autumn.

↑ 1.5m
max. height

↔ 1m
max. spread

🕒 2-5 years
to maturity



Molinia caerulea (Purple moor grass)

Group: Grasses

Quantity: 1

Pot size: None

M. caerulea is a clump-forming, deciduous perennial with flat, linear, mid-green leaves, flushed purple at the base, and yellow-flushed stems bearing dense, narrow panicles of dark purple flower spikelets from spring to autumn.

↑ 1.5m
max. height

↔ 0.6m
max. spread

⌚ 2-5 years
to maturity



Molinia caerulea subsp. arundinacea 'Skyracer' (Purple moor grass 'Skyracer')

Group: Grasses

Quantity: 1

Pot size: None

'Skyracer' is a clump-forming, tufted, deciduous perennial grass with flat, arching, linear, mid-green leaves that turn gold in autumn. Narrow, dense panicles of purple flower spikelets bloom in summer.

↑ 2.2m
max. height

↔ 0.5m
max. spread

⌚ 2-5 years
to maturity



Molinia caerulea subsp. caerulea 'Heidebraut' (Purple moor grass 'Heidebraut')

Group: Grasses

Quantity: 1

Pot size: None

'Heidebraut' is a clump-forming, deciduous tufted grass with open, linear green leaves which turn golden yellow in autumn. Fine brown flower panicles in summer to autumn bloom earlier than other varieties.

↑ 1.2m
max. height

↔ 1m
max. spread

⌚ 2-5 years
to maturity



Panicum virgatum (Switch grass)

Group: Grasses

Quantity: 1

Pot size: None

P. virgatum is a narrowly upright, rhizomatous, deciduous, perennial grass forming clumps of purple-flushed, mid-green stems bearing upright, flat, linear, mid-green leaves, turning yellow in autumn and light brown in winter. Broad, pendent panicles of tiny, purple-green flower spikelets bloom in early autumn.

↑ 1m
max. height

↔ 0.75m
max. spread

⌚ 2-5 years
to maturity



Sesleria caerulea (Blue moor grass)

Group: Grasses

Quantity: 1

Pot size: None

S. caerulea is a compact, tufted, evergreen, perennial grass with round-tipped, linear, blue-green leaves, glossy, dark green beneath, and, from mid-spring to early summer, small, dense, oval panicles of purple, rarely greenish-white, flower spikelets that fade to pale yellow-brown.

↑ 0.3m
max. height

↔ 0.25m
max. spread

⌚ 2-5 years
to maturity



Stipa gigantea (Golden oats)

Group: Grasses

Quantity: 1

Pot size: None

S. gigantea is a tall, evergreen to semi-evergreen grass with arching, green leaves and large panicles of oat-like flowers that emerge purple and ripen to a golden colour in late summer.

↑ 2.5m
max. height

↔ 1.2m
max. spread

⌚ 2-5 years
to maturity

NEW TREES



Amelanchier lamarckii (Snowy mespilus)

Group: New Trees

Quantity: 1

Pot size: None

A. lamarckii is an upright, deciduous shrub or small tree with spreading branches bearing oblong to elliptic, dark green leaves, bronze when young and turning orange and red in autumn. Pendent racemes of white flowers in mid-spring are followed by purple-black fruit.

↑ 10m
max. height

↔ 12m
max. spread

🕒 10-20 years
to maturity



Betula utilis var. jacquemontii (West Himalayan birch)

Group: New Trees

Quantity: 1

Pot size: None

B. utilis var. jacquemontii is a variable, deciduous tree with peeling, white bark, ovate to oblong, tapered, glossy dark green leaves which turn yellow in autumn and yellow-brown male catkins in early spring.

↑ 15m
max. height

↔ 8m
max. spread

🕒 20-50 Years
to maturity



Cornus controversa (Giant dogwood)

Group: New Trees

Quantity: 1

Pot size: None

C. controversa is a rounded to spreading, deciduous tree with elliptic, pointed, glossy, dark green leaves turning red and purple in autumn. Large, flat clusters of small white flowers in early summer are usually followed by spherical, blue-black fruit.

↑ 15m
max. height

↔ 15m
max. spread

🕒 20-50 Years
to maturity



Crataegus x lavalleyi 'Carrierei' (Hybrid cockspur thorn 'Carrierei')

Group: New Trees

Quantity: 1

Pot size: None

'Carrierei' is a dense, spreading, semi-evergreen tree or large shrub with sparsely-thorned branches bearing glossy, oval, toothed, dark green leaves turning red in autumn and erect clusters of white flowers in late spring and early summer followed by orange-red fruit.

↑ 8m
max. height

↔ 8m
max. spread

🕒 20-50 Years
to maturity



Hamamelis x intermedia 'Sunburst' (Witch hazel 'Sunburst')

Group: New Trees

Quantity: 1

Pot size: None

'Sunburst' is a narrowly upright, deciduous shrub with broadly oval, dark green leaves turning yellow and orange in autumn. Lightly fragrant, pale yellow flowers with twisted, crimped petals bloom in late winter and early spring.

↑ 4m
max. height

↔ 2.5m
max. spread

🕒 10-20 years
to maturity



Magnolia stellata (Star magnolia)

Group: New Trees

Quantity: 1

Pot size: None

M. stellata is a compact, broadly rounded, deciduous shrub with with narrowly ovate to lance-shaped, mid-green leaves and silky buds opening to star-shaped, white flowers in early to mid-spring.

↑ 2.5m
max. height

↔ 4m
max. spread

🕒 10-20 years
to maturity



Magnolia x loebneri 'Leonard Messel' (Magnolia 'Leonard Messel')

Group: New Trees

Quantity: 1

Pot size: None

'Leonard Messel' is a vigorous, medium-sized, deciduous shrub or small tree, with narrow ovate leaves about 12cm in length. Flowers are lilac-pink and paler in the center with a lovely scent. The flowers grow to 10cm in width, with about twelve narrow tepals, and open before the leaves.

↑ 8m
max. height

↔ 8m
max. spread

🕒 20-50 Years
to maturity



Prunus 'Pandora' (Ornamental cherry 'Pandora')

Group: New Trees

Quantity: 1

Pot size: None

'Pandora' is a spreading, deciduous, ornamental cherry tree with attractive bronzed-red new leaves which turn dark green in summer. It has pale pink flowers in spring.

↑ 5m
max. height

↔ 5m
max. spread

🕒 10-20 years
to maturity



Prunus 'Shirotae' (Cherry 'Shirotae')

Group: New Trees

Quantity: 1

Pot size: None

'Shirotae' is a compact, spreading, deciduous tree with horizontal branches bearing elliptic, toothed, dark green leaves turning yellow, orange, and red in autumn. Pendent clusters of fragrant, single or semi-double, white flowers in mid-spring.

↑ 6m
max. height

↔ 8m
max. spread

🕒 10-20 years
to maturity



Prunus 'Taihaku' (Great white cherry)

Group: New Trees

Quantity: 1

Pot size: None

'Taihaku' is a mid-sized, deciduous tree with red-bronze young leaves that turn green. It bears white blossom in spring.

↑ 8m
max. height

↔ 12m
max. spread

⌚ 10-20 years
to maturity



Prunus x subhirtella 'Autumnalis' (Rosebud cherry 'Autumnalis')

Group: New Trees

Quantity: 1

Pot size: None

'Autumnalis' is a compact, spreading, deciduous tree with ovate, toothed, mid-green leaves turning yellow in autumn and semi-double, white flowers from late autumn to early spring.

↑ 8m
max. height

↔ 8m
max. spread

⌚ 10-20 years
to maturity



Sorbus aria 'Lutescens' (Whitebeam 'Lutescens')

Group: New Trees

Quantity: 1

Pot size: None

'Lutescens' is a deciduous tree. Leaves emerge silvery, greening a little with age. White flowers in spring are followed by orange-red berries in autumn.

↑ 12m
max. height

↔ 8m
max. spread

⌚ 20-50 Years
to maturity

PRAIRIE PLANTS

**Achillea 'Belle Epoque' (Yarrow 'Belle Epoque')****Group:** Prairie Plants**Quantity:** 1**Pot size:** None

'Belle Epoque' is an upright, herbaceous perennial with finely-divided, mid-green leaves and, in summer, erect stems bearing flat clusters of rose-pink flowers fading to pale yellow with age.

 0.75m
max. height

 0.5m
max. spread

 2-5 years
to maturity
**Agastache 'Blackadder' (Giant hyssop 'Blackadder')****Group:** Prairie Plants**Quantity:** 1**Pot size:** None

'Blackadder' is an upright, clump-forming, herbaceous perennial with lance-shaped to ovate, aromatic, dark grey-green leaves and whorled spikes dark purple buds opening to tubular, two-lipped, fragrant, violet flowers from summer to early autumn.

 0.9m
max. height

 0.6m
max. spread

 2-5 years
to maturity
**Alchemilla mollis (Lady's mantle)****Group:** Prairie Plants**Quantity:** 1**Pot size:** None

A. mollis is a perennial with scalloped, bright green foliage and a haze of tiny, light-green or yellow flowers in summer.

 0.5m
max. height

 0.5m
max. spread

 2-5 years
to maturity



Amsonia hubrichtii (Hubricht's bluestar)

Group: Prairie Plants

Quantity: 1

Pot size: None

A. hubrichtii is an erect, clump-forming, deciduous perennial with needle-like, bright green leaves turning golden-yellow in autumn and terminal clusters of star-shaped, pale blue flowers in late spring and early summer.

↑ 0.9m
max. height

↔ 0.9m
max. spread

⌚ 1-2 years
to maturity



Aquilegia vulgaris 'Nivea' (Columbine 'Nivea')

Group: Prairie Plants

Quantity: 1

Pot size: None

'Nivea' is a clump-forming, herbaceous perennial with deeply-divided, light green leaves and, in late spring and early summer, upright, branching stems bearing nodding, white flowers with short, curled spurs.

↑ 0.8m
max. height

↔ 0.45m
max. spread

⌚ 2-5 years
to maturity



Calamintha nepeta subsp. *nepeta* (Lesser calamint)

Group: Prairie Plants

Quantity: 1

Pot size: None

C. nepeta subsp. *nepeta* is a compact, mound-forming, aromatic, deciduous to semi-evergreen perennial with upright stems bearing ovate, toothed, hairy, grey-green leaves and loose, branched clusters of tiny, tubular, two-lipped, white flowers from summer into autumn.

↑ 0.3m
max. height

↔ 0.45m
max. spread

⌚ 2-5 years
to maturity



Cotinus 'Grace' (Smoke bush 'Grace')

Group: Prairie Plants

Quantity: 1

Pot size: None

'Grace' is a large deciduous shrub, with rounded leaves that emerge wine-red maturing to dusky-reddish-blue and then bright orange-red in autumn. Masses of large, deep pink panicles cover this shrub in early summer

↑ 6m
max. height

↔ 4m
max. spread

⌚ 10-20 years
to maturity



Echinacea purpurea (Coneflower)

Group: Prairie Plants

Quantity: 1

Pot size: None

E. purpurea is an upright perennial with large, daisy-like flowers that have a brown centres and pale purple petals.

↑ 1.5m
max. height

↔ 0.5m
max. spread

⌚ 2-5 years
to maturity



Erigeron karvinskianus (Mexican fleabane)

Group: Prairie Plants

Quantity: 1

Pot size: None

E. karvinskianus is a mat- or mound-forming, deciduous to semi-evergreen perennial with hairy, elliptic to lance-shaped, dark green leaves and, in summer, daisy-like, white flowers turning pink to purple-pink with age.

↑ 0.3m
max. height

↔ 1m
max. spread

⌚ 2-5 years
to maturity



Geranium 'Rozanne' (Cranesbill 'Rozanne')

Group: Prairie Plants

Quantity: 1

Pot size: None

'Rozanne' is a vigorous, spreading, deciduous with lobed, marbled, mid- to dark green leaves and, from early summer to early autumn, and bowl-shaped, deep violet-blue flowers with white centres and maroon veins.

↑ 0.6m
max. height

↔ 1m
max. spread

⌚ 2-5 years
to maturity



Geranium psilostemon (Armenian cranesbill)

Group: Prairie Plants

Quantity: 1

Pot size: None

G. psilostemon is a clump-forming, herbaceous perennial with bright green, lobed leaves tinted red in autumn and upright stems bearing magenta flowers with black centres in summer.

↑ 1m
max. height

↔ 0.5m
max. spread

⌚ 2-5 years
to maturity



Geranium x oxonianum 'A.T. Johnson' (Geranium 'A.T. Johnson')

Group: Prairie Plants

Quantity: 1

Pot size: None

'A.T. Johnson' is an evergreen perennial with a clump-forming habit. Its mid-green leaves are divided into five lobes. From early summer through to autumn it bears pale silvery-pink flowers.

↑ 0.3m
max. height

↔ 1m
max. spread

⌚ 2-5 years
to maturity



Helianthus 'Waltraut' (Sneezeweed 'Waltraut')

Group: Prairie Plants

Quantity: 1

Pot size: None

'Waltraut' is an upright, herbaceous perennial with branching stems bearing oblong to lance-shaped, mid- to dark green leaves and, in late summer and early autumn, yellow-brown to yellow-orange flowers with brown central cones.

↑ 1m
max. height

↔ 0.6m
max. spread

⌚ 2-5 years
to maturity



Helianthus 'Wesergold' (Sneezeweed 'Wesergold')

Group: Prairie Plants

Quantity: 1

Pot size: None

'Wesergold' is a perennial with an erect habit. Its lance-shaped leaves are mid-green. In summer and autumn it bears golden-yellow daisies with dark-brown centres.

↑ 1m
max. height

↔ 0.5m
max. spread

⌚ 2-5 years
to maturity



Leucanthemum graminifolium (Grass-leaved ox-eye daisy)

Group: Prairie Plants

Quantity: 1

Pot size: None

L. graminifolium is a clump-forming, herbaceous perennial with oblong to spoon-shaped, toothed, dark green basal leaves. Erect, wiry stems bear linear to oblong leaves and white flower heads in summer.

↑ 0.3m
max. height

↔ 0.3m
max. spread

⌚ 2-5 years
to maturity



Nepeta sibirica 'Souvenir d'Andre Chaudron' (Siberian catmint 'Souvenir d'Andre Chaudron')

Group: Prairie Plants

Quantity: 1

Pot size: None

'Souvenir d'Andre Chaudron' is a compact, hardy perennial with large blue flowers in summer.

↑ 0.5m
max. height

↔ 0.5m
max. spread

🕒 2-5 years
to maturity



Persicaria bistorta 'Superba' (Knotweed 'Superba')

Group: Prairie Plants

Quantity: 1

Pot size: None

'Superba' is a mat-forming, semi-evergreen perennial with large, ovate foliage and spikes of large, white bottlebrush flowers from late-summer to early-autumn.

↑ 0.75m
max. height

↔ 1m
max. spread

🕒 5-10 years
to maturity



Pittosporum 'Garnettii' (Pittosporum 'Garnettii')

Group: Prairie Plants

Quantity: 1

Pot size: None

'Garnettii' is a large evergreen shrub with rounded grey-green leaves edged in cream and sometimes flushed pink in winter, with small dark-purple flowers.

↑ 4m
max. height

↔ 4m
max. spread

🕒 10-20 years
to maturity



Pittosporum tenuifolium 'Tom Thumb' (Pittosporum 'Tom Thumb')

Group: Prairie Plants

Quantity: 1

Pot size: None

'Tom Thumb' is a compact, round evergreen shrub with wavy light-green leaves when young in spring, turning dark-purple.

↑ 1m
max. height

↔ 1m
max. spread

⌚ 10-20 years
to maturity



Rudbeckia fulgida var deamii (Deam's coneflower)

Group: Prairie Plants

Quantity: 1

Pot size: None

R. fulgida var deamii is a clump-forming, herbaceous perennial with ovate, rough, dark-green leaves and upright, leafy stems bearing daisy-like, golden-yellow flowers from late summer to mid-autumn.

↑ 0.7m
max. height

↔ 0.5m
max. spread

⌚ 2-5 years
to maturity



Salvia nemorosa (Balkan clary)

Group: Prairie Plants

Quantity: 1

Pot size: None

S. nemorosa is an erect, branching perennial with ovate to lance-shaped, wrinkled, mid-green leaves and, from summer to autumn, dense, terminal racemes of violet to purple, white to pink flowers.

↑ 1m
max. height

↔ 0.6m
max. spread

⌚ 2-5 years
to maturity



Sanguisorba officinalis (Great burnet)

Group: Prairie Plants

Quantity: 1

Pot size: None

S. officinalis is a clump-forming, herbaceous perennial with attractive, pinnate foliage. From mid-summer to early autumn flower spikes are held atop branched, wiry stems.

↑ 1.5m
max. height

↔ 0.5m
max. spread

🕒 2-5 years
to maturity



Selinum wallichianum (Wallich milk parsley)

Group: Prairie Plants

Quantity: 1

Pot size: None

S. wallichianum is a clump-forming perennial with erect, red-purple, branched stems, triangular, pinnate green leaves, and umbels of tiny, white flowers in midsummer to early autumn.

↑ 1.8m
max. height

↔ 0.6m
max. spread

🕒 2-5 years
to maturity



Symphyotrichum 'Little Carlow' (cordifolium hybrid) (Michaelmas daisy 'Little Carlow')

Group: Prairie Plants

Quantity: 1

Pot size: None

'Little Carlow' is an upright, bushy, deciduous perennial with small, linear to narrowly lance-shaped, dark green leaves, in autumn, daisy-like, violet-blue flowers with yellow centres.

↑ 1m
max. height

↔ 0.5m
max. spread

🕒 2-5 years
to maturity



Verbena bonariensis (Purple top)

Group: Prairie Plants

Quantity: 1

Pot size: None

V. bonariensis is an herbaceous perennial, with clusters of small, purple flowers from summer to autumn held on tall stems. Leaves are narrow and sparse.

↑ 2.5m
max. height

↔ 0.5m
max. spread

🕒 2-5 years
to maturity



Veronica spicata 'Erika' (Spiked speedwell 'Erika')

Group: Prairie Plants

Quantity: 1

Pot size: None

'Erika' is a compact, clump-forming, herbaceous perennial with lance-shaped, toothed, dark green leaves and upright stems bearing long, slender, erect, terminal racemes of small, star-shaped, deep magenta flowers in summer.

↑ 0.4m
max. height

↔ 0.6m
max. spread

🕒 2-5 years
to maturity

SHADY AREAS



Adiantum pedatum (Maidenhair fern)

Group: Shady Areas

Quantity: 1

Pot size: None

A. pedatum is a hardy, deciduous fern. In early spring, delicate, mid-green leaves unfurl on dark brown, wiry stems and last until autumn.

↑ 0.4m
max. height

↔ 0.4m
max. spread

🕒 5-10 years
to maturity



Anemone x hybrida 'Honorine Jobert' (Japanese anemone 'Honorine Jobert')

Group: Shady Areas

Quantity: 1

Pot size: None

'Honorine Jobert' is one of the most beautiful plants for late summer and early autumn. This Japanese anemone makes clumps of large, dark, divided, vine-line leaves and pure white flowers with contrasting yellow stamens.

↑ 1.5m
max. height

↔ 1m
max. spread

🕒 2-5 years
to maturity



Athyrium filix-femina (Lady fern)

Group: Shady Areas

Quantity: 1

Pot size: None

A. filix-femina has lacy fronds radiating from a central crown in a fresh green. It is a fast-growing fern forming a clump of lacy, bipinnate, lance-shaped fronds, and the leaf segments have toothed margins. In some plants the midrib is red, in others green.

↑ 1m
max. height

↔ 1m
max. spread

🕒 5-10 years
to maturity



Bergenia 'Sunningdale' (Elephant's ears 'Sunningdale')

Group: Shady Areas

Quantity: 1

Pot size: None

'Sunningdale' is a clump-forming, evergreen perennial with large, green leaves that turn copper-red in cold weather. In early spring dark red-pink flowers on red stems appear.

↑ 0.3m
max. height

↔ 0.5m
max. spread

🕒 2-5 years
to maturity



Bergenia stracheyi Alba Group (White Himalayan bergenia)

Group: Shady Areas

Quantity: 1

Pot size: None

Alba Group is a compact, clump-forming, evergreen perennial bearing erect, oblong to ovate, mid- to dark green leaves with hairy margins and wedge-shaped bases. Short, upright stems bear dense clusters of pink-flushed buds opening to white flowers in early spring.

↑ 0.3m
max. height

↔ 0.3m
max. spread

🕒 2-5 years
to maturity



Blechnum spicant (Hard fern)

Group: Shady Areas

Quantity: 1

Pot size: None

B. spicant is a small evergreen fern with spreading, narrow, dark-green fronds bearing comb-like leaves.

↑ 0.5m
max. height

↔ 0.5m
max. spread

🕒 5-10 years
to maturity



Brunnera macrophylla 'Jack Frost' (Siberian bugloss 'Jack Frost')

Group: Shady Areas

Quantity: 1

Pot size: None

'Jack Frost' is a clump-forming perennial, with broad, hairy, heart-shaped leaves which are silver with green veins and blue forget-me-not type flowers in spring.

↑ 0.5m
max. height

↔ 0.5m
max. spread

🕒 2-5 years
to maturity



Cornus alba 'Elegantissima' (Red-barked dogwood 'Elegantissima')

Group: Shady Areas

Quantity: 1

Pot size: None

'Elegantissima' is a bushy shrub with dark-red stems bearing ovate to elliptic, grey-green leaves, cream at the margins and flat clusters white flowers in late spring followed by spherical, white fruit.

↑ 4m
max. height

↔ 4m
max. spread

🕒 5-10 years
to maturity



Cornus alba 'Kesselringii' (White dogwood 'Kesselringii')

Group: Shady Areas

Quantity: 1

Pot size: None

'Kesselringii' is a vigorous, upright, thicket-forming, deciduous shrub with purple-black winter stems and ovate, dark green leaves turning reddish-purple in autumn. Flat cymes of white flowers in late spring and early summer are followed by white fruit.

↑ 2.5m
max. height

↔ 2.5m
max. spread

🕒 5-10 years
to maturity



Cornus sanguinea 'Magic Flame' (Dogwood 'Magic Flame')

Group: Shady Areas

Quantity: 1

Pot size: None

'Magic Flame' is an upright, deciduous shrub with large, ovate, mid-green leaves turning bright red in autumn and bright orange, red, and yellow winter stems. Flat, dense clusters of white flowers in summer are followed by spherical, blue-black fruit.

↑ 2m
max. height

↔ 2m
max. spread

🕒 10-20 years
to maturity



Cornus sericea 'Flaviramea' (Golden-twig dogwood)

Group: Shady Areas

Quantity: 1

Pot size: None

'Flaviramea' is a mid-sized, deciduous shrub with green leaves turning red or orange in autumn. It has distinctive greenish-yellow stems that lighten in winter. It bears white flowers in spring and summer followed by white berries in autumn.

↑ 2.5m
max. height

↔ 4m
max. spread

⌚ 5-10 years
to maturity



Dryopteris affinis (Scaly male fern)

Group: Shady Areas

Quantity: 1

Pot size: None

D. affinis is a semi-evergreen fern. Its feathery fronds emerge yellow-green, maturing to deep green, and are arranged in an upright rosette.

↑ 1.5m
max. height

↔ 1m
max. spread

⌚ 5-10 years
to maturity



Dryopteris affinis 'Cristata' (Scaly male fern 'Cristata')

Group: Shady Areas

Quantity: 1

Pot size: None

'Cristata' is a large, semi-evergreen fern forming a rosette of erect, arching, crested fronds that open golden-green when young and turn bright green as they mature.

↑ 1.5m
max. height

↔ 1m
max. spread

⌚ 5-10 years
to maturity



Epimedium x versicolor 'Sulphureum' (Bishop's hat 'Sulphureum')

Group: Shady Areas

Quantity: 1

Pot size: None

'Sulphureum' is a clump-forming, rhizomatous, evergreen perennial with mid-green leaves divided into heart-shaped leaflets and pink and yellow flowers with long, red-tinted spurs in late spring.

↑ 0.5m
max. height

↔ 0.5m
max. spread

🕒 2-5 years
to maturity



Geranium macrorrhizum 'Spessart' (Big-root cranesbill 'Spessart')

Group: Shady Areas

Quantity: 1

Pot size: None

'Spessart' is a vigorous, mound-forming, semi-evergreen perennial with aromatic, lobed, toothed, light green leaves turning red in autumn and umbel-like clusters of flat, white, pink, or purple-pink flowers in summer.

↑ 0.4m
max. height

↔ 0.6m
max. spread

🕒 2-5 years
to maturity



Geranium nodosum (Knotted cranesbill)

Group: Shady Areas

Quantity: 1

Pot size: None

G. nodosum is a clump-forming, rhizomatous perennial with lobed, toothed, glossy, bright green leaves and, from late spring to early autumn, red-flushed stems bearing loose clusters of open, funnel-shaped, veined, purple-pink flowers with pale pink centres and notched petals.

↑ 0.4m
max. height

↔ 0.5m
max. spread

🕒 2-5 years
to maturity



Geranium phaeum var. phaeum 'Samobor' (Dusky cranesbill 'Samobor')

Group: Shady Areas

Quantity: 1

Pot size: None

'Samobor' is a clump-forming, herbaceous perennial with upright, branched stems bearing lobed, gray-green foliage with dark markings and purple-brown flowers in late spring and early summer.

↑ 0.65m
max. height

↔ 0.8m
max. spread

🕒 2-5 years
to maturity



Helleborus orientalis (Lenten rose)

Group: Shady Areas

Quantity: 1

Pot size: None

H. orientalis is a clump-forming, semi-evergreen or evergreen perennial with leathery, deep green basal leaves with lance-shaped leaflets and, from midwinter to mid-spring, stout, branched stems bearing nodding or outward-facing, saucer-shaped, white, sometimes pink- or green-flushed flowers becoming pinker with age.

↑ 0.45m
max. height

↔ 0.45m
max. spread

🕒 2-5 years
to maturity



Hydrangea paniculata 'Grandiflora' (Paniculate hydrangea 'Grandiflora')

Group: Shady Areas

Quantity: 1

Pot size: None

'Grandiflora' is a vigorous, upright, deciduous shrub with ovate, dark-green leaves turning yellow in autumn and, from late summer into autumn, broad panicles of creamy-white flowers, flushed pink with age.

↑ 4m
max. height

↔ 2.5m
max. spread

🕒 5-10 years
to maturity



Hydrangea quercifolia (Oak-leaved hydrangea)

Group: Shady Areas

Quantity: 1

Pot size: None

H. quercifolia is a deciduous shrub with large, deeply lobed leaves which are flushed red and purple in autumn and large cream florets in summer and autumn.

↑ 1.5m
max. height

↔ 2.5m
max. spread

⌚ 5-10 years
to maturity



Lamium maculatum 'White Nancy' (Spotted deadnettle 'White Nancy')

Group: Shady Areas

Quantity: 1

Pot size: None

'White Nancy' is a mat-forming, deciduous perennial with bearing rough, heart-shaped, silvery-grey leaves with dark green margins. Short spikes of whorled, tubular, two-lipped, white flowers bloom in summer.

↑ 0.2m
max. height

↔ 1m
max. spread

⌚ 2-5 years
to maturity



Libertia grandiflora (New Zealand satin flower)

Group: Shady Areas

Quantity: 1

Pot size: None

L. grandiflora is a clump-forming, evergreen perennial with erect, leathery, linear, dark green leaves and, in late spring and early summer, sturdy stems bearing clusters of white flowers followed by glossy seed capsules.

↑ 0.9m
max. height

↔ 0.6m
max. spread

⌚ 2-5 years
to maturity



Liriope muscari (Big blue lilyturf)

Group: Shady Areas

Quantity: 1

Pot size: None

L. muscari is a clump-forming, evergreen perennial, with narrow, arching, dark-green leaves, and spikes of small violet-purple flowers in autumn, followed by black berries.

↑ 0.3m
max. height

↔ 0.2m
max. spread

⌚ 2-5 years
to maturity



Liriope muscari 'Monroe White' (Lilyturf 'Monroe White')

Group: Shady Areas

Quantity: 1

Pot size: None

'Monroe White' is a clump-forming, tuberous, evergreen perennial with arching, linear to strap-shaped, glossy, dark green leaves and erect, dense spikes of white flowers in early to late autumn, followed by black berries.

↑ 0.3m
max. height

↔ 0.45m
max. spread

⌚ 2-5 years
to maturity



Omphalodes verna (Blue-eyed Mary)

Group: Shady Areas

Quantity: 1

Pot size: None

O. verna is a clump-forming, stoloniferous, semi-evergreen perennial with pointed, hairy, oval to heart-shaped, mid-green leaves and racemes of white-eyed, bright blue flowers in spring.

↑ 0.25m
max. height

↔ 0.5m
max. spread

⌚ 2-5 years
to maturity



Osmanthus x burkwoodii (Burkwood osmanthus)

Group: Shady Areas

Quantity: 1

Pot size: None

O. x burkwoodii is a rounded, dense, slow-growing, evergreen shrub with ovate, dark green leaves and, in spring, clusters of small, strongly fragrant, white flowers sometimes followed by black fruit.

↑ 4m
max. height

↔ 4m
max. spread

⌚ 10-20 years
to maturity



Persicaria affinis (Lesser knotweed)

Group: Shady Areas

Quantity: 1

Pot size: None

P. affinis is a mat-forming, evergreen perennial with large, elliptic to lance-shaped, dark green leaves turning bronze-red in autumn and, from midsummer to mid-autumn, erect spikes of bright reddish-pink flowers fading to pale pink.

↑ 0.3m
max. height

↔ 0.6m
max. spread

⌚ 5-10 years
to maturity



Polystichum braunii (Braun's holly fern)

Group: Shady Areas

Quantity: 1

Pot size: None

P. braunii is an evergreen fern bearing arching, broadly lance-shaped, glossy, leathery, dark green fronds, scaly beneath, silvery when young, with oblong, bristly, divided pinnae.

↑ 0.8m
max. height

↔ 0.8m
max. spread

⌚ 5-10 years
to maturity



Polystichum polyblepharum (Japanese lace fern)

Group: Shady Areas

Quantity: 1

Pot size: None

P. polyblepharum is a clump-forming, evergreen fern with glossy, bipinnate, spreading, dark green fronds, yellow-green and hairy when young.

↑ 0.8m
max. height

↔ 1m
max. spread

🕒 5-10 years
to maturity



Tiarella 'Starburst' (Foam flower 'Starburst')

Group: Shady Areas

Quantity: 1

Pot size: None

'Starburst' is a mound-forming, deciduous or semi-evergreen perennial bearing rosettes of ovate, deeply lobed, light green leaves with maroon-marked central veins. In late spring to midsummer, upright racemes of pink buds open to fluffy, pink-flushed, white flowers.

↑ 0.35m
max. height

↔ 0.3m
max. spread

🕒 2-5 years
to maturity



Viburnum tinus 'Eve Price' (Laurustinus 'Eve Price')

Group: Shady Areas

Quantity: 1

Pot size: None

'Eve Price' is a bushy, medium evergreen shrub with broad oval, leathery leaves and, flattened clusters of small, starry white flowers and later metallic-blue berries.

↑ 2.5m
max. height

↔ 2.5m
max. spread

🕒 10-20 years
to maturity



Vinca minor (Lesser periwinkle)

Group: Shady Areas

Quantity: 1

Pot size: None

V. minor is a mat-forming, evergreen perennial with ovate, glossy, dark green leaves and single, violet-blue flowers from spring to early autumn.

↑ 0.2m
max. height

↔ 1.5m
max. spread

⌚ 5-10 years
to maturity