

Proposed Controlled Parking Zone (CPZ) GC2 St Barnabas Road Area



ISSUE DATE: 22 FEBRUARY 2018

Dear Resident/Business

The purpose of this leaflet is to let you know the outcome of the informal consultation carried out between 5 October and 10 November 2017 on the proposal to introduce a controlled parking zone (CPZ) in your road.

GC2 CPZ CONSULTATION RESULTS

The consultation resulted in a total of 256 questionnaires returned from the roads within the proposed CPZ area representing a response rate of 19%. A detailed road by road analysis of the results show that 56% support a CPZ in their road, compared to 40% who do not and 4% who are unsure or did not comment. Residents were also asked which hours of operation they would prefer should the CPZ be introduced in their road. Results show 55% of respondents prefer 8.30am – 6.30pm, 29% prefer 11am – 3pm and 14% prefer 10am – 4pm. On the days of operation, the results show that 65% of respondents prefer Mon – Fri, 32% support Mon – Sat and 3% did not respond.

The results of the consultation along with officers' recommendation were presented in a report to the Cabinet Member for Environment, Regeneration and Housing on the 19 December 2017. The report and the decision sheet can be viewed on our website. www.merton.gov.uk/cpzgc2.

After careful consideration of the consultation results and officers recommendations the Cabinet Member has agreed to proceed with a statutory consultation to include Ashbourne Road, Carlingford Gardens, Edenvale Road, Figge's Road, Framfield Road, Gorringer Park Avenue (Between Nos 38 and 164), Heaton Road, Manship Road, Milton Road, St Barnabas Road, St James' Road, Stanley Road, Streatham Road (Between the Railway Bridge and Manship Road), Thirsk Road, Tynemouth Road, Uckfield Grove and Woodland Way into the proposed GC2 CPZ, operational Monday to Friday between 8.30am and 6.30pm. **Please see attach plan.**

WHAT HAPPENS NEXT

Notice of the Council's intention to introduce the above measures will be published in a local newspaper (The Guardian), London Gazette and posted on lamp columns in the vicinity. Representations against the proposals described in this Notice must be made in writing or email trafficandhighways@merton.gov.uk by no later than

than **16 March 2018** quoting reference **ES/GC2**. Objections must relate only to the elements of the scheme that are subject to this statutory consultation.

A copy of the proposed Traffic Management Orders (TMOs), a plan identifying the areas affected by the proposals and the Council's Statement of Reasons can be inspected at Merton Link, Merton Civic Centre, London Road, Morden, Surrey, SM4 5DX during the Council's normal office hours Monday to Friday, 9am to 5pm. A copy will also be available at Mitcham Library. This information is also available on Merton Council's website www.merton.gov.uk/cpzgc2.

All representations along with Officers' comments and recommendations will be presented in a report to the Cabinet Member for Regeneration, Environment and Housing. **Please note that responses to any representations received will not be made until a final decision is made by the Cabinet Member.**

The Council is required to give weight to the nature and content of your representations and not necessarily the quantity. Your reasons are, therefore, important to us.

WARD COUNCILLORS GRAVENEY

Cllr John Dehaney

Phone: 020 8545 3424, email: john.dehaney@merton.gov.uk

Cllr Linda Kirby

Phone: 020 8545 3425, email: linda.kirby@merton.gov.uk

Cllr Gregory Udeh

Phone: 020 8685 0636 email: gregory.udeh@merton.gov.uk

FIGGE'S MARSH

Cllr Agatha M Akyigyina OBE

Phone 020 8545 3424, email: agatha.akyigyina@merton.gov.uk

Cllr Mike Brunt

Phone: 0208 545 3424, email: mike.brunt@merton.gov.uk

Cllr Geraldine Stanford

Phone: 020 8715 6667, email: geraldine.stanford@merton.gov.uk

Cllr Martin Whelton Phone: 020 8545 3425

Cabinet Member for Environment, Regeneration
and Housing.

Email: martin.whelton@merton.gov.uk

(The contact details of Ward Councillors are provided for information purposes only)